

# DECLARATION OF PERFORMANCE

**DOP REF:** LAN01-2021  
**PRODUCT:** Anchor® Landmark® Segmental Retaining Wall - Standard  
**ISSUE DATE:** 07 January 2021  
**MANUFACTURING STANDARD:** BS EN 771-3:2011+A1:2015 - Specification for masonry units  
**COMPLIANCE CATEGORY:** Attestation Level 4  
**PLANT OF MANUFACTURE:** Standard: AG 127 Crievehill Road, Fivemiletown, Co. Tyrone, BT75 0SY  
**APPLICATION:** External Retaining Wall Structures

## Declared Performance

Essential Requirements	Performance Value				
	Full Height Block	Tapered Full Height Block	Half Height Block	Foundation Block	ShortCut™ Cap
Dimensions	L 200 x D 300/320 <sup>†</sup> x H 380mm	L 200 x D 300/320 <sup>†</sup> x H 380mm	L 200 x D 300/320 <sup>†</sup> x H 190mm	L 200 x D 300 x H 190mm	L 200 <sup>*</sup> x D 330 x H 75mm Short side length: 175mm
Compressive Strength	24 N/mm <sup>2</sup>	24 N/mm <sup>2</sup>	24 N/mm <sup>2</sup>	N / A	N / A
Durability	Adequate for purpose				
Reaction to fire	A1				
Max. Gravity Wall Build Height	Max. up to 1.2m	N / A	N / A	N / A	N / A
Wall height above 1m	An indemnified engineered design is required				N / A
Set Back / Face Angle	25mm (3.8°)	25mm (3.8°)	12mm (3.8°)	N / A	N / A
Minimum inside radius (to back of block on bottom course)	2.10m	2.10m	2.10m	N / A	N / A
Minimum outside radius (to back of block on bottom course)	2.45m	2.45m	2.45m	N / A	N / A
Tolerances on all dimensions (mm)	±2mm	±2mm	±2mm	±2mm	±2mm
Face finish	Straight Cut	Straight Cut	Straight Cut	Straight Cut	Straight Split
Face geometry	Soldier	Soldier	Soldier	Soldier	Stretcher

(†) To give the staggered appearance Anchor Landmark® has two different sized blocks. The depth at top and bottom of block varies due to the inclined split face.

Compliance is achieved by Factory Processed Control (FPC) system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations.

Signed:

Stephen Acheson, Chief Executive Officer

Dated: January 2021

