

DECLARATION OF PERFORMANCE

DOP REF: LONG01-2022
PRODUCT: Long Stone range
 ISSUE DATE: 15 August 2022
 MANUFACTURING STANDARD: hEN 1338 : 2003
COMPLIANCE CATEGORY: Attestation Level 4
 PLANT OF MANUFACTURE: AG 60 Creagh Road, Toome, Co. Antrim, BT41 3SE
 APPLICATION: External / Commercial / Retail / Residential / Pedestrian Areas / Vehicular Overrun

Declared Performance

Essential Requirements	Performance Value
Surface Layer	Durable and hard wearing with a minimum surface layer of 5mm. Minimum cement content 380kg/m ³
Granite Content	Not less than 60% natural granite and quartz aggregate in surface layer
Efflorescence	State-of-the-art factory controlled vapour curing significantly reduces this naturally occurring chemical reaction
Tensile Splitting Strength (Paving Blocks)	>3.6Mpa. This applies to all sizes and depths
Installed to	BS 7533 – part 4 2006
NBS Plus	Q24 110

Compliance is achieved by Factory Processed Control (FPC) system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and when installed in accordance with BS 7533.

Signed:

Stephen Acheson, Chief Executive Officer

Dated: August 2022

