



# Patios, paths, driveways + walling

2021 Season | Version 2

[AG.UK.COM](http://AG.UK.COM)



# Fresh ideas for you and your home

Transform your outdoor space into an area for unwinding, cooking, eating, playing, celebrating and gardening.



AG.UK.COM



## Contents

### Be Inspired

|                            |    |
|----------------------------|----|
| Photo Gallery              | 4  |
| Case Studies               | 8  |
| Enduur Overview <b>new</b> | 10 |

### Paving Blocks

|                       |    |
|-----------------------|----|
| Plaza                 | 12 |
| Plaza Setts           | 13 |
| River Stone           | 14 |
| Long Stone®           | 15 |
| Country Cobble®       | 16 |
| Country Cobble® Setts | 17 |
| HomePave <b>new</b>   | 18 |

### Flagstones

|                         |    |
|-------------------------|----|
| Fiamma Flags <b>new</b> | 20 |
| Plaza Flags             | 22 |
| TerraPave® Flags        | 24 |
| Canterra® Flags         | 26 |
| Rosemount Flags         | 27 |

### Kerbs, Steps + Ramps

28

### Retaining Walls

|              |    |
|--------------|----|
| Kamden       | 29 |
| Aspen Stone™ | 30 |
| Bayfield®    | 32 |
| Diamond®     | 33 |

### Facing Brick

|          |    |
|----------|----|
| Woodward | 34 |
| Stately  | 36 |
| Oakland  | 37 |

### Guidance

|                   |    |
|-------------------|----|
| Maintenance       | 38 |
| Advice + Guidance | 39 |
| Laying Patterns   | 40 |

### Information


|                |    |
|----------------|----|
| About AG       | 43 |
| Sustainability | 43 |

# Your local builders merchants

## ...your local expert!

Your local AG stockist will be able to supply you with everything you need to get the job done including sand, gravel, tools and - perhaps most importantly - reliable local knowledge and expert advice.

Your local merchant is your local expert and will be able to recommend professional designers and installers as well as answering any questions you might have.



## making it together



## Home owner 30 year guarantee

Our hard landscaping products will give you many years of pleasure from your garden or driveway. We're so confident we guarantee them for 30 years.

Our products are designed to look good and stay looking good. They are carefully made with the very best of materials to last for a very long time. Once installed, in the unlikely event that they do not perform as expected, we will replace any of our products that crack, break or fail, providing they are installed and used in accordance with our guidelines. We'll hold this promise for up to 30 years\*.

For more information or to register your products please visit: [ag.uk.com/guarantee](http://ag.uk.com/guarantee)

\*Terms and conditions apply (visit the above link on our website for more information).

## Advice and guidance

Get some helpful advice and guidance on a wide range of topics via our website.

- How-to Guides
- Laying Patterns
- Aftercare
- Project Gallery
- Blog

Find out more on our homeowner website: [ag.uk.com](http://ag.uk.com)

### TERMS + CONDITIONS

The colours shown in this literature are as accurate as the printing process will allow. Whilst every effort is made to match colours and represent textures, we recommend that colours and textures are chosen from actual samples of the products.

All products are manufactured from natural materials and although we strive to provide consistency of colour, variation may occur in the manufacturing process -

this applies to all concrete products within the paving industry. It is for this reason we recommend that products are selected from at least three bales, within each delivery. All information contained in this literature is correct at the time of going to print.

AG reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you contact your builders merchant, at the design stage of your project, for the most up-to-date information.




BE INVENTIVE WITH PLANTING + WALLING

# Urban Garden

*Long Stone paving in Frassino, Canterra® flagstones in Silver jointed with Basalt Fuge and Mile Stone kerbing + seating in Slate*

While gardening in the towns and cities may not be as easy as stepping outside into a fertile backyard, it's far from impossible and in some ways even preferable!

What is an urban garden? At its heart, it's a garden that has to conform to a small or specific space. Beyond that, it can take all kinds of forms, depending upon what your site calls for.



D



E

## STYLE SUGGESTIONS

A. Canterra® flags in Silver with TerraKerb® Square Edge in Pearl. B. Plaza paving in Salt with Plaza Pepper Setts edging and TerraPave® flags in Rimini Ground. C. Long Stone paving in Frassino, Canterra® flagstones in Silver with jointing grout. D. TerraPave® Rimini Ground counter top with Long Stone paving in Frassino. E. Country Cobble® paving in Burren with Slate edging and Bayfield® walling in Basalt. F. Long Stone paving in Frassino with TerraKerb square edge in Pearl.



A



B



C



F

FIRST IMPRESSIONS COUNT

# Kerb Appeal

Your driveway is one of the first features your visitors will notice and a well designed driveway will enhance and complement your home and its surroundings.




A



B



C



D

### STYLE SUGGESTIONS

A. Plaza paving in Salt. B. River Stone paving in Blackwater. C. River Stone paving in Glenarm with Blackwater edging, Mile Stone step risers in Slate and Canterra® flags step treads in Silver. D. River Stone 3's paving in Blackwater.

LIFE OFF THE BEATEN PATH

# Winding Pathways

A carefully considered and well thought out traditional garden adds a real sense of nostalgia and beauty to any property. Winding pathways can be created using modern paving products too.



A



B



C



D



E



F

### STYLE SUGGESTIONS

A. Plaza paving in Salt with Slate Setts. B. Long Stone paving + wall cladding in Frassino with Plaza edging in Pepper. C. River Stone 3's paving in Slaney with Blackwater edging. D. Country Cobble® paving in Burren with Slate Setts. E. Country Cobble® paving in Cashel with Slate Setts and Mile Stone kerbing in Cashel. F. River Stone 3's paving in Blackwater and Mile Stone kerbing in Slate.

CASE STUDY

# The Perfect Staycation

Vanquish the stresses of your busy life with a peaceful place to disconnect and unwind. View your garden as a true extension of your house (despite the questionable weather) – quite simply another room to eat, drink, play and relax in.



### PRODUCTS USED

TerraPave® flags in Rimini Ground with Mile Stone step risers in Slate and Bayfield® walling in Basalt with ShortCut™ Caps.



Private Home, Enniskillen, N. Ireland

ag.uk.com

CASE STUDY

# First Impressions Count

Your driveway is one of the first features your visitors will notice and a well designed driveway will enhance and complement your home and its surroundings.



### PRODUCTS USED

Plaza paving in Pepper with Salt edging.

Private Home, South East England

ag.uk.com

Introducing

# Enduur

advanced concrete technology


**Enduur** is an evolutionary approach to manufacturing and protecting selected paving, flagstone and kerb products which benefit you, your installers and the planet.

Enduur products come in 2 levels.



| Enduur Level    | Features   | Products   |
|-----------------|--|--|
| <b>Enduur 1</b> | <p>Enhanced surface colour and reduced efflorescence.</p> <p>Enhanced mix which increases strength, resistance to wear and tear, longevity and vibrance.</p> <p>70% less embodied carbon per % of cement replaced.</p> <p>Helps prevent moss and algae growth and deep staining.</p>                                     | <p>River Stone</p> <p>Long Stone</p> <p>Plaza</p> <p>TerraPave®</p> <p>TerraKerb®</p> <p>Canterra®</p> |
| <b>Enduur 2</b> | <p>Enduur 2 has all the features listed above, plus:</p> <p><b>Surface Protection Application</b><br/>A non-toxic and environmentally friendly application is added during manufacturing. It repels spills, dirt and debris, which means it's easier and faster to clean and products stay looking newer for longer.</p> | Fiamma   |

## Key Benefits



### Cleaner

Due to the optimised surface and base mixes of our products, anything that might stain or grow in the surface is less likely to reside.



### Greener

AG's new cement replacement means every product with Enduur now has cement content with 70% less embodied carbon per % of cement replaced.



### Brighter for Longer

By using the highest quality natural, reclaimed and recycled aggregates our products feature exceptional UV performance and enhanced, long lasting colours.



## Enduur 2


advanced concrete technology plus surface protection

Finally. A little effort goes a long way.

### Pain free dirt, debris, stains and spills

AG Enduur 2 comes as standard with Fiamma flagstones. Enduur 2 adds a surface protection layer. It's environmentally friendly, water-based and non-toxic which delivers easier product maintenance and enhanced stain resistance.


Enduur 2 helps repel liquid spills, dirt and debris, ensuring your patio stays looking newer for longer. Easily wash away installation dirt and debris and ongoing spills and stains with warm, soapy water.



Fiamma flagstones come with Enduur 2 as standard.

## Enduur 2

A little effort goes a long way.



# Plaza Paving

**Enduur 1**  
advanced concrete technology

**30YEAR**  
GUARANTEE  
ASSURED

The fresh, crisp look of Plaza makes it particularly suited for schemes with a contemporary feel. The ability to weather well and even improve with age, combined with durability and a slip resistant surface, means it's a winner on all counts.

AG recommend Plaza is laid with our Silver Granite kiln dried sand – designed specifically for products containing silver and dark granite aggregates. Use of this sand lessens the risk of staining the paving products when brushing in the sand. Please contact your supplier / AG for further information.

**Plaza flagstones are also available - see page 22.**

**60mm Pack:**

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| 200 x 150  | 12.96m <sup>2</sup>    | 1.75t          | 432        |
| 300 x 150  | 12.6m <sup>2</sup>     | 1.75t          | 280        |



Salt

Pepper

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Salt / Pepper' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



PLAZA / Pepper with Salt edging



PLAZA / Salt with Pepper edging  
TERRAKERB® / Pearl

# Plaza Setts

**Enduur 1**  
advanced concrete technology

**30YEAR**  
GUARANTEE  
ASSURED


Plaza Setts are specially designed edging stones - ideal for bordering or detailing any paved or flagged area - and can add visual interest and definition to any hard landscaped area. Our setts are available in a 60mm depth to complement our 60mm block paving range.

Each pack contains approximately equal quantities of the four different sizes (110x75 / 90x75 / 75x75 / 50x75mm).

**60mm Pack:**

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| Full pack  | 5.11m <sup>2</sup>     | 0.698t         | 840        |

A full pack of 60mm setts = approx. 68.25 Lm (in a single row).




Salt

Pepper


To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Salt / Pepper' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.

Plaza Setts units do not feature spacer nibs - see page 39 for jointing guidance.



PLAZA SETTS / Pepper with Salt flags



PLAZA SETTS / Salt with Pepper flags

# River Stone Paving

The unique gently rippling surface of River Stone makes this a paving range that really stands out from the crowd.

Creating a completely new option in paving, it can provide texture and form in a modern setting while just as successfully adding depth and character in a more traditional scheme.

## 60mm Pack:


| size (mm):     | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|----------------|------------------------|----------------|------------|
| 200 x 150      | 12.96m <sup>2</sup>    | 1.75t          | 432        |
| 3's Mixed Pack | 12.48m <sup>2</sup>    | 1.75t          | 403        |

Each 3's mixed pack contains 403 paving units of assorted sizes:

| unit size:  | no. per layer: | no. per pack: |
|-------------|----------------|---------------|
| 300 x 200mm | 4              | 52            |
| 200 x 200mm | 9              | 117           |
| 100 x 200mm | 18             | 234           |

13 layers per mixed pack = 0.96m<sup>2</sup> per layer

AG recommends that 'Blackwater' is laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



RIVER STONE / Slaney

**Enduur 1**  
advanced concrete technology

**30YEAR**  
GUARANTEE  
ASSURED



Blackwater




Glenarm



Slaney

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



RIVER STONE 3's / Blackwater

# Long Stone Paving

Make a statement with Long Stone - our newest range of premium, smooth finish, porcelain-effect plank paving. Perfect for patios, paths and feature areas - it lends itself best to a minimalist design style.

Long Stone is 'close jointed' for ease of maintenance - so less weeds can grow and less grouting is required.

## 60mm Pack:

**NEW PACK SIZE**

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| Mixed Pack | 9.2m <sup>2</sup>      | 1.28t          | 192        |

Each mixed pack contains 192 units of assorted sizes:

| unit size:  | no. per pack: |
|-------------|---------------|
| 490 x 146mm | 40            |
| 350 x 146mm | 48            |
| 280 x 146mm | 64            |
| 210 x 146mm | 40            |

8 layers per mixed pack = 1.15m<sup>2</sup> per layer

AG recommends that 'Frassino' is laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.




LONG STONE / Frassino  
MILE STONE KERBING + SEAT / Slate

**Enduur 1**  
advanced concrete technology

**30YEAR**  
GUARANTEE  
ASSURED



Frassino



Fiammata

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



LONG STONE / Fiammata  
PLAZA / Pepper edging  
MILE STONE / Slate walling + step risers

# Country Cobble® Paving



One of our original decorative paving options, Country Cobble® remains close to our hearts - and it's easy to see why. Creating the mellow, aged look of reclaimed paving but with all the advantages of a modern, easy-to-lay paving system, it's a versatile, low maintenance product, that will add character and heritage to your outside space.

**50mm Pack:** NEW PACK SIZES

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> : |
|------------|------------------------|----------------|------------|------------------------|
| 200 x 150  | 12m <sup>2</sup>       | 1.32t          | 400        | 33                     |
| 150 x 150  | 11.25m <sup>2</sup>    | 1.2t           | 500        | 44                     |
| 100 x 150  | 12m <sup>2</sup>       | 1.32t          | 800        | 66                     |

Available in 4 colours (Cashel / Killyleagh / Burren / Slate)

**60mm Pack:** NEW PACK SIZES

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> : |
|------------|------------------------|----------------|------------|------------------------|
| 200 x 150  | 9.6m <sup>2</sup>      | 1.28t          | 320        | 33.3                   |

Available in 2 colours (Cashel / Slate)



Cashel



Killyleagh (50mm only)



Burren (50mm only)




Slate

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

Country Cobble® units do not feature spacer nibs - see page 39 for jointing guidance.

Traditional 3 size 'Random Course' laying pattern, the ratio per m<sup>2</sup> equals:  
44% of 200x150 size / 34% of 150x150 size / 22% 100x150 size.

AG recommends that 'Slate' is laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



COUNTRY COBBLE® / Killyleagh



COUNTRY COBBLE® / Cashel

# Country Cobble® Setts



Country Cobble® Setts are specially designed edging stones. Many suppliers don't offer them but AG gives you a choice. Our setts are available in a 50mm depth so they can be used alongside our other products.

Country Cobble® Setts are supplied in tote bags. Each bag contains approximately equal quantities of the four different sizes (110x75 / 90x75 / 75x75 / 50x75mm).

**50mm Tote bag:**

| size (mm): | m <sup>2</sup> / bag: | weight / bag: |
|------------|-----------------------|---------------|
| Full bag   | 9m <sup>2</sup>       | 1.05t         |

A full tote bag of 50mm setts = approx. 68.25Lm (in a single row).



Slate

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Slate' is laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.

Country Cobble® Setts units do not feature spacer nibs - see page 39 for jointing guidance.



Get the edge with Country Cobble® Setts! Setts can be used to create boundaries - helping to define distinctly different areas within your outside living space.

COUNTRY COBBLE® SETTS / Slate


new product



# Introducing HomePave

NEW SUBTLY ANTIQUED PAVING

Add character and maturity to your garden with our latest range. HomePave recreates the softly aged, rustic appearance of reclaimed paving but has all the advantages of a modern, easy-to-lay paving system. With three unique colour blends to choose from, you can easily add that extra level of sophistication to your home and garden. HomePave is supplied in a mixed pack of three different sizes.




| 50mm Pack: |                        |                |            |
|------------|------------------------|----------------|------------|
| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
| Mixed Pack | 15.36m <sup>2</sup>    | 1.76t          | 496        |

| Each mixed pack contains 496 paving units of assorted sizes: |                |               |
|--|----------------|---------------|
| unit size:   | no. per layer: | no. per pack: |
| 300 x 200mm  | 4              | 64            |
| 200 x 200mm  | 9              | 144           |
| 100 x 200mm  | 18             | 288           |
| 16 layers per mixed pack = 0.96m <sup>2</sup> per layer      |                |               |

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Ash' is laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.

HomePave 50mm is suitable for driveways with cars, caravans, vans, motorhomes, etc.



Create an outside area that's perfect for dining, cooking or relaxing. It's no longer 'outside', it's an extension to your living space.

Flagstones

pages 20-27

# Fiamma Flags

new  
product

30YEAR  
GUARANTEE  
ASSURED

**Enduur 2**  
advanced concrete technology  
plus surface protection

Our new Fiamma range is subtly different and highly impressive. Created using the highest quality granite aggregates and with a unique 'flamed' effect finish, it makes a strong statement. Fiamma also features Enduur Level 2 surface protection, which means that next time your glass of wine takes a tumble you can be assured of an easy clean up - no muss, no fuss.

For more information on the benefits of our Enduur 2 surface protection – see pages 10-11.

**50mm Pack:**

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| 600 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 64         |
| 400 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 96         |



Alba



Luce



Milazzo

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Fiamma' flags are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



Alba



Enduur 2 adds a surface protection layer which helps repel liquid spills, dirt and debris.

Milazzo



FIAMMA / Alba, Luce + Milazzo




# Plaza Flags

**Enduur 1**  
advanced concrete technology


**30YEAR  
GUARANTEE  
ASSURED**

The fresh, crisp look of Plaza makes it particularly suited for schemes with a contemporary feel. The ability to weather well and even improve with age, combined with durability and a slip resistant surface, means it's a winner on all counts.

**Plaza paving blocks are also available - see page 12.**



Salt





Pepper

**50mm Pack:**

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| 600 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 64         |
| 400 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 96         |

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Salt / Pepper' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



# TerraPave® Flags

TerraPave® is our signature flag product. Top of the range and oozing quality these flags are constructed from premium-graded granite and natural aggregates. Offered in a range of colours and in a ground finish - TerraPave® is sure to give your interior or exterior project real stand-out.

AG recommend TerraPave® is laid with our Silver Granite kiln dried sand – designed specifically for products containing silver and dark granite aggregates. Use of this sand lessens the risk of staining the paving products when brushing in the sand. Please contact your supplier / AG for further information.

#### 50mm Pack:

| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
|------------|------------------------|----------------|------------|
| 400 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 96         |
| 600 x 400  | 15.36m <sup>2</sup>    | 1.843t         | 64         |

**Enduur 1**  
advanced concrete technology

**30YEAR  
GUARANTEE  
ASSURED**



Verona Ground



Rimini Ground




Milano Ground



Florento Ground

AG recommends that 'Rimini / Milano / Florento' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



TERRAPAVE® FLAGS / Verona Ground



TERRAPAVE® FLAGS / Rimini + Milano Ground




TERRAPAVE® FLAGS / Rimini Ground

# Canterra® Flags

**Enduur 1**  
advanced concrete technology

Canterra® has been designed to create a 'naturally undulating old courtyard' effect. This effect replicates the uneven surface of natural stone with a randomly undulating surface. Made to the most exacting standards Canterra® flags are the perfect choice for pathways, patio and pedestrian walkways.

| 40mm       |                        |                |            |
|------------|------------------------|----------------|------------|
| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
| 400 x 400  | 14.72m <sup>2</sup>    | 1.41t          | 92         |
| 600 x 400  | 11.04m <sup>2</sup>    | 1.05t          | 46         |



Silver

Slate



Sahara

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Silver / Slate' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.

AG do not recommend "Butt jointing" Canterra® flagstones. See page 39 for jointing guidance.



CANTERRA® FLAGS / Silver  
MILE STONE WALL / Slate

# Rosemount Flags

Win on cost with our latest range of smooth flagstones. Our Rosemount flagstones are functional, cost effective and feature a bevelled edge. Rosemount flagstones are available in a smooth finish in three colours, one depth and one standard size.

| 40mm       |                        |                |            |
|------------|------------------------|----------------|------------|
| size (mm): | m <sup>2</sup> / pack: | weight / pack: | no / pack: |
| 400 x 400  | 14.72m <sup>2</sup>    | 1.41t          | 92         |



Buff


Silver




Slate

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

AG recommends that 'Silver / Slate' are laid with our Silver Granite kiln dried sand - see our jointing sand recommendations on page 39 for more information.



ROSEMOUNT FLAGS / Slate




ROSEMOUNT FLAGS / Silver

# Kerbs, Steps + Ramps

Stylish steps can be used to connect different levels of your outside space visually as well as physically. Choose from a wide range of attractive colours to complement or contrast with our range of paving products and flagstones.

Kerbs can be purchased by linear metre or individually.



## Mile Stone (kerb / wall unit):

| size (mm):            | Lm / pack: | weight / pack: | no / pack: | no. / Lm:       |
|-----------------------|------------|----------------|------------|-----------------|
| L 200 x H 150 x D 80* | 48         | 1.26t          | 240        | 5 (laid L200mm) |

Available in a rumpled finish in colours: Cashel / Slate  
\*Mile Stone units can be laid flat or upright for kerbing.



## Bullnose Kerb Setts:

Corner pieces available

| size (mm):            | Lm / pack: | weight / pack: | no / pack: | no. / Lm: |
|-----------------------|------------|----------------|------------|-----------|
| L 100 x H 200 x D 127 | 24         | 1.3t           | 240        | 10        |

Available in a smooth finish in colour: Slate  
Bullnose Kerb Setts can be laid in a low rise or high rise profile.




## TerraKerb® (reconstituted granite kerbs):

| profiles:   | size (mm):            | Lm / pack: | weight / pack: | no / pack: |
|-------------|-----------------------|------------|----------------|------------|
| Square Edge | L 900 x H 255 x D 125 | 10.6       | 1.2t           | 18         |

Available in colour: Pearl (Silver Grey)



**Enduur 1**  
advanced concrete technology



# Kamden Double Sided Dry Build Walling

Contemporary in appearance, Kamden is the ideal choice when building free-standing, self-supporting walls up to 0.9m (3ft) in height.

Double sided and completely vertical and with a unique and patented locating system that ensures perfect alignment, Kamden walls are built with no mortar or concrete.



Basalt

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.

## Kamden Pack:

| size (mm):            | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> or Lm: |
|-----------------------|------------------------|----------------|------------|-----------------------------|
| KAMDEN BLOCK*         |                        |                |            |                             |
| L 220 x D 260 x H 150 | 1.98m <sup>2</sup>     | 0.98t          | 60         | 30no. / m <sup>2</sup>      |
| HALF BLOCK**          |                        |                |            |                             |
| L 110 x D 260 x H 150 | N/A                    | N/A            | N/A        | N/A                         |
| CORNER BLOCK          |                        |                |            |                             |
| L 150 x D 255 x H 150 | N/A                    | N/A            | N/A        | N/A                         |
| STOP END BLOCK***     |                        |                |            |                             |
| L 215 x D 255 x H 150 | N/A                    | N/A            | N/A        | N/A                         |
| SHORTCUT™ CAP †       |                        |                |            |                             |
| L 200 x D 330 x H 75  | N/A                    | 1.236t         | 120        | 5.4no. / Lm                 |


\* The Kamden Block 'short side' is 176mm in length.

\*\* The Kamden Half Block 'short side' is 88mm in length.

\*\*\* The Kamden Stop End Block 'short side' is 175mm in length.

† The ShortCut™ Cap 'short side' is 175mm in length.

Note: Corner blocks and ShortCut caps can be purchased individually (split packs).  
N / A – Not applicable.





ASPEN STONE® WALLING / Basalt with CAPPING BLOCKS

# Aspen Stone® Retaining Wall\*

30YEAR  
GUARANTEE  
ASSURED

Who knew building a wall could be so easy? The beauty of Anchor® Aspen Stone® retaining walls isn't only in the highly textured, richly coloured finish, it's also in the simplicity of its construction. With no need for mortar or adhesives, each stone simply slots into the other so it's quick and easy to construct and can be used to build walls up to 0.6m (2ft) high.

**Aspen Stone® Pack:**

| size (mm):                                       | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> or Lm: |
|--|------------------------|----------------|------------|-----------------------------|
| BLOCK<br>L 295 x D 180 x H 100                   | 2.88m <sup>2</sup>     | 1.04 t         | 96         | 33                          |
| CAPPING BLOCK <b>NEW</b><br>L 300 x D 200 x H 60 | 42 Lm                  | 1 t            | 160        | 3.77                        |

(Capping block 'short side': L 230mm)



Cashel



Basalt

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



ASPEN STONE™ BLOCK



ASPEN STONE® WALLING / Cashel



ASPEN STONE® WALLING / Basalt with Slate Setts

# Bayfield® Retaining Wall



Anchor® Bayfield® can be used to create attractive retaining walls up to 0.9m (3ft) high. With its rough hewn weathered texture, it's an extremely versatile walling option which can be constructed without the need for mortar and is suitable for both straight and curved retaining walls.



Basalt Canelletto

#### Bayfield® Pack:

| size (mm):            | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> or Lm: |
|-----------------------|------------------------|----------------|------------|-----------------------------|
| BAYFIELD® BLOCK       |                        |                |            |                             |
| L 435 x D 250 x H 150 | 3.5m <sup>2</sup>      | 1.3t           | 54         | 15.36no. / m <sup>2</sup>   |
| CORNER / STEP         |                        |                |            |                             |
| L 435 x D 218 x H 150 | N/A                    | 1.44t          | 48         | N/A                         |
| SHORTCUT™ CAP †       |                        |                |            |                             |
| L 200 x D 330 x H 75  | N/A                    | 1.236t         | 120        | 5.4no. / Lm                 |

† The ShortCut™ Cap 'short side' is 175mm in length.

Note: Corner blocks and ShortCut caps can be purchased individually (split packs).  
N / A – Not applicable.

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



BAYFIELD® BLOCK CORNER / STEP BLOCK SHORTCUT™ CAP

**Need a bigger wall?** In addition to our garden walling, we also provide a complete retaining wall solution for taller structures. For more information contact your local builders merchant.



BAYFIELD® WALLING / Canelletto  
SHORTCUT™ CAP / Canelletto

# Diamond® 30 Retaining Wall



Attractive, durable, versatile and easy-to-install; that's Anchor® Diamond®. With a natural textured appearance Diamond® can be used to create attractive retaining walls up to 1.2m (4ft) high.

Diamond® walls are built with no mortar or concrete and are suitable for both straight and curved retaining walls.



Cashel Basalt

#### Diamond® 30 Pack:

| size (mm):            | m <sup>2</sup> / pack: | weight / pack: | no / pack: | no. / m <sup>2</sup> or Lm: |
|-----------------------|------------------------|----------------|------------|-----------------------------|
| DIAMOND® 30 BLOCK     |                        |                |            |                             |
| L 435 x D 300 x H 150 | 3.5m <sup>2</sup>      | 1.4t           | 54         | 15.36m <sup>2</sup>         |
| CORNER / STEP         |                        |                |            |                             |
| L 435 x D 218 x H 150 | N/A                    | 1.44t          | 48         | N/A                         |
| SHORTCUT™ CAP †       |                        |                |            |                             |
| L 200 x D 330 x H 75  | N/A                    | 1.236t         | 120        | 5.4Lm                       |

† The ShortCut™ Cap 'short side' is 175mm in length.

Note: Corner blocks and ShortCut caps can be purchased individually (split packs).  
N / A – Not applicable.

To ensure a natural colour blend AG recommends mixing from multiple packs when laying the product.



DIAMOND® BLOCK CORNER / STEP BLOCK SHORTCUT™ CAP

**Need a bigger wall?** In addition to our garden walling, we also provide a complete retaining wall solution for taller structures. For more information contact your local builders merchant.



DIAMOND® WALLING / Cashel  
SHORTCUT™ CAP / Cashel



# Woodward Brick

Our new Woodward collection is available in two finishes. The 'Smooth' finish is vibrant with a smooth, sharp crispness; while the 'Antique' finish is rumpled with mellow pastels in the reclaimed style.

Woodward is designed with a hollow depression on the top face - commonly known as a frog - which reduces the weight of the brick, thus making it easier to handle.

**Woodward Pack:**

| size (mm):                                     | compressive strength:                  | weight / pack: | no. / pack: |
|--|--|----------------|-------------|
| Woodward (with frog)<br>L 215 x D 102.5 x H 65 | greater than<br>22 N / mm <sup>2</sup> | 1.55 t         | 512         |



To ensure a natural colour blend and benefit from the full colour shading AG recommends mixing from multiple packs when building the product.



WOODWARD BRICK / Lyndhurst Antique

# Stately Brick

Crisp, sharp edges and a deep coral textured finish, emphasises the contemporary appeal of the Stately Brick range. It's a distinctive collection that offers aesthetic qualities to rival anything on the market. With lasting durability, performance and good looks, it allows plenty of scope for modern, eye-catching designs.

**Stately Pack:**

| size (mm):             | compressive strength:               | weight / pack: | no. / pack: |
|------------------------|-------------------------------------|----------------|-------------|
| L 215 x D 102.5 x H 65 | greater than 22 N / mm <sup>2</sup> | 1.7 t          | 512         |


Approx. a quarter of each 'textured' bale contains single headers.



Harvest Flame



Barkley Manor



Chestnut Manor

To ensure a natural colour blend and benefit from the full colour shading AG recommends mixing from multiple packs when building the product.


# Oakland Brick

Think contemporary or traditional, modern or avant garde – the Oakland range of facing bricks can make it all possible. An exceptionally versatile brick, providing texture and style. A beautiful blend of colours with clean cut lines, adding sharpness to any project.

**Oakland Pack:**

| size (mm):             | compressive strength:               | weight / pack: | no. / pack: |
|------------------------|-------------------------------------|----------------|-------------|
| L 215 x D 102.5 x H 65 | greater than 22 N / mm <sup>2</sup> | 1.6 t          | 512         |

Approx. a quarter of each 'textured' bale contains single headers.



Cottage Red Textured



Richmond Textured

To ensure a natural colour blend and benefit from the full colour shading AG recommends mixing from multiple packs when building the product.



STATELY BRICK / Chestnut Manor



STATELY BRICK / Barkley Manor



OAKLAND BRICK / Cottage Red Textured

# Maintenance

## PAVING + FLAGSTONES

AG recommend regular seasonal maintenance at least three times a year. A good rule of thumb is to commence at the start of the growing season (April), the middle of the growing season (July) and at the end of the growing season (September) - this may vary depending on weather conditions.

### General Wear

Newly completed areas of paving or flagstones should only receive a light brushing in the first few months to allow joints to settle naturally. From then on, general maintenance should be carried out regularly. Using a bristle brush with mild detergent and hot water is normally all you need to remove any build-up of dirt and grime.

### Weeds, Moss + Lichen

Unwanted plants, moss and fungi are easily controlled. The trick is to tackle them as soon as they appear - don't allow them to get established. Use a proprietary weed killer on weeds and grass and a water-based fungicide or algicide on moss and lichen. As well as stocking all the products you need, your local builders merchant will also be able to offer you impartial advice and answer any questions you might have.

**Top Tip... Use a separate spray to wash, as combined sprays aren't as effective.**

### Heavy Staining

To remove hard to shift stains use a non-acid based proprietary cleaner. Always test a small area first and always follow the manufacturer's instructions. Avoid acid based cleaners as they may damage the paving.

### Oil Stains

Oil will readily penetrate into most surfaces and once staining occurs it can be difficult to remove. If the staining is substantial it may be necessary to replace the products in the damaged area. Do not attempt to wipe the spilt oil as this only drives the oil deeper into the surface. Soak up stains promptly using absorbent material such as a paper towel then use a non-acid based proprietary cleaner in accordance with the manufacturer's instructions.

### Power Washing

We don't recommend using a power hose to clean your paving as high pressure hoses can damage the surface of products and remove the jointing sand or grout which holds them in place.

If you carry out the simple, regular maintenance (as recommended previously), power washing shouldn't be necessary. However, if you do decide to use a power washer you can help minimise the risk of damage by observing the following guidance:

- 1) Remove loose debris with a broom;
- 2) Test a small area first;
- 3) Use a medium pressure or low pressure setting;
- 4) Hold the hose at not more than a 30° angle;
- 5) After the paving has dried, replace any jointing sand which has been removed.

### Sealing of Paving + Flags

A variety of sealers and cleaners are available through your local builders merchant. However, please note that applying sealant may affect the colour of paving. Be sure to follow the manufacturer's instructions and check the product's suitability by testing on a small area first. Responsibility for the performance of sealers and cleaners lies with the user and manufacturer of the product.

### Abrasion Assistance

Abrasion marks may be present on pavers with undulating surfaces, these marks are a superficial effect from the slight movement of the product during transit and will disappear after a few weeks weathering.

## GARDEN WALLING / BRICKS

### Concrete Adhesive

Aspen Stone™, Kamden, Bayfield® and Diamond® are all mortarless systems requiring no cement to hold them together. Cap stones however, should be applied using a concrete adhesive thus eliminating the need for mortar and the associated risk of mortar stains.

### Power Washing

Using a power-hose is not recommended as it may damage the surface of the product.

### General Cleaning

Clean using a stiff bristle brush, mild detergent and water from a low pressure hose.

### Heavy Staining

Any type of remedial work should first be tested on a small area. Remedial cleaning procedures may affect the appearance of the product.

## GENERAL INFORMATION

All products are manufactured from natural materials and although we strive to provide consistency of colour, variation may occur in the manufacturing process - this applies to all concrete products within the paving industry. It is for this reason we recommend that products are selected from at least three bales, within each delivery.

### Advice + Assistance

To achieve a quality finish to your project always choose a reputable installer, builder or hard landscaping contractor. Take time to look at previous jobs they have worked on and don't be afraid to ask to see examples of their work in situ. If you need advice, your local builders merchant will be able to suggest a number of specialist companies in your area.

### Health + Safety

Care must be taken when handling / working with individual products to avoid risk of injury from manual handling, sharp edges, abrasive texture and dust fragments. Inhalation of any dust produced from aggregates must be avoided. Protective clothing must be worn and is activity dependent. Further information may be obtained by contacting AG or the HSE/HSA.

# Advice + Guidance

## Product Inspection

All products should be carefully inspected for defects or damage upon delivery and prior to being installed. Delivery documentation is required to be signed and should include a record of such defects, which will need to be notified to an AG Sales representative within five working days of delivery.

AG are BS EN ISO 9001:2014 registered and use an integrated quality management system.

## Colour Blending

All products are manufactured from natural materials. Although we strive to provide consistency of colour, slight colour variations are inevitable with all concrete product manufacturing processes.

When purchasing products, AG recommend that packs are selected from the same date of production (DOP). Products should then be mixed on site from a minimum of three packs to help reduce the effect of banding.

Products which have been installed for a period will weather naturally, so the colour of any new products, when compared, will inevitably vary.

## Efflorescence

Efflorescence is a white crystalline deposit that can occur naturally on the surface of all concrete materials. AG use market leading technologies to significantly reduce the frequency and occurrence of efflorescence but these cannot totally prevent the phenomenon in all instances.

Where it does occur, efflorescence may mask the colour of the product for a period of time but this tends to gradually weather off naturally with rainfall given time. AG will not replace products affected by efflorescence.

AG recommend that customers ensure that packs of products which have had their packaging removed should be recovered to prevent secondary efflorescence.

## Measurements + Allowances

**AG recommend that customers ensure that their contractor accurately measures the area on site before ordering products.**

Dimensions taken from a product plan can vary significantly from the final layout. When ordering, customers should allow for an additional 5% to cater for detailing, cutting and acceptable waste. This quantity may need to be greater in the case of curved or circular designs.

Customers should be aware that **up to 5% of delivered product** may be damaged due to loading, unloading, transport and site handling. Any product damaged should be set aside and reused for cutting or detailing and AG will not be held liable for such waste.

Where the customer experiences waste of greater than 5% of the total quantity ordered, an AG Sales Representative should be informed without delay.

## Jointing widths

Butt Jointing – AG do not recommend “Butt jointing” as this removes the ability to adjust alignment and can also cause shear failure on the edges of adjacent units.

Close Jointing – a joint width of between 2-5mm in accordance with the installation code is recommended for a flexible bedding design.

Open Jointing – a joint width of 6mm + is deemed an open joint and applies to a minimum width requirement for use with a structural joint compound within a bound bedding and jointing system.

## Jointing sands

AG provide two types of jointing sands for a flexible bedding and jointing design.

Standard jointing sand – suitable for all products.

Silver Granite jointing sand – designed specifically for products containing silver and dark granite aggregates (e.g. Plaza and TerraPave®). Use of this sand lessens the risk of staining the paving products when brushing in the sand.

## Surface marks

Minor surface scuff and scratch marks can occur during installation when using plate vibration compaction. AG's experience is that these marks weather off.

AG strongly recommend using a rubber vibration plate when compacting embossed or riven surfaces to further reduce the risk of scuff or scratch marks.

## Installation

AG recommend that all products should be installed in accordance with the latest and relevant British or European Standard.

## Ordering

Minimum order quantities are required for certain colours and sizes. Before placing an order, please speak to one of our sales team members – they will be happy to advise on this and any other product questions you may have.

AG operate a no returns policy. This does not affect your statutory rights.

## Questions + Complaints

If you have any queries or complaints, please contact our Sales office on +44 (0) 121 747 0202 in UK and on +44 (0)28 8778 8112 in Ireland.

We recommend that you contact our sales staff for further information at the design stage of your project for the most up-to-date information. AG reserves the right to discontinue products if necessary. The colours shown on this website are as accurate as your screens calibration will allow. Whilst every effort is made to match colours and represent textures, we recommend that colours and textures are chosen from actual samples of the products.

## CANTERRA

### Jointing Guidance

**Butt Jointing** - AG do not recommend “Butt jointing” Canterra flagstones.


**Close Jointing** – AG recommend close jointing. Joints of between 2mm and 5mm should be created when laying with fine, dry jointing-sand used to fill the joints.

**Open Jointing** – AG's preference is that installers use open joints when laying Canterra, whereby >5mm joints are created and filled with a solid jointing compound.

# Laying Patterns

There are many ways to lay flagstones and paving and your choice of laying pattern depends on the size and shape of the stones you are planning to use as well as your personal taste. The pattern you choose will have a big impact on the overall appearance of your design – just as much as the colour and texture of your chosen stone.

## Country Cobble® paving



### Random Coursed (2 sizes)

Uses 200x150 + 150x150mm.  
19no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>:  
57% 200x150, 43% 150x150.

### Random Coursed (3 sizes)


Uses 200x150, 150x150 + 100x150mm.  
15no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 44% 200x150, 34% 150x150, 22% 100x150.

### 90° Herringbone (1 size)

Uses 200x150mm.  
34no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 200x150.

### Stack Bond (1 size)

Uses 150x150mm.  
45no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 150x150.



### Courtyard Pattern A (2 sizes)


Uses 200x150 + 100x150mm.  
22no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>:  
67% 200x150, 33% 100x150.

### Courtyard Pattern B (2 sizes)

Uses 200x150 + 100x150mm.  
22no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>:  
67% 200x150, 33% 100x150.

### Courtyard Pattern C (3 sizes)

Uses 200x150, 150x150 + 100x150mm.  
15no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 44% 200x150, 34% 150x150, 22% 100x150.




### Stretcher Bond (1 size)

Uses 200x150mm.  
33.3no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 200x150.

### Stretcher Bond (2 sizes)

Uses 200x150 + 150x150mm.  
19no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 57% 200x150, 43% 150x150.

## Plaza / River Stone paving




### 90° Herringbone (1 size)

Uses 200x150mm.  
34no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 200x150.

### Stretcher Bond (1 size)

Uses 200x150mm.  
22no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 200x150.


## Long Stone paving (mixed size pack)



### Stretcher Bond (4 sizes)

Uses 490x146, 350x146, 280x146 + 210x146mm  
Create a continuous pattern of staggered joints just by swapping 2 units from every pack layer.  
NB: Two 490x146 units should not be laid side-by-side (parallel) for driveways, as it cannot be guaranteed as load bearing for cars.

## HomePave / River Stone 3's paving (mixed size pack)






### Stretcher Bond (3 sizes)

Uses 300x200, 200x200 + 100x200mm.

### Courtyard (3 sizes)

Uses 300x200, 200x200 + 100x200mm.

Each product pack is stacked in layers. To achieve the Courtyard pattern, just switch around the appropriate units from each layer (as shown using the colours and letters).



### Mixed Size Motif (3 sizes)

Uses 300x200, 200x200 + 100x200mm.

This pattern works with a 7 piece module, creating and interlocking L shaped herringbone structure.

Within each project pack layer, four of these modules can be created, leaving over three pieces which can be used for cuts or additional units. An ideal pattern for smaller or curved areas where cuts are more frequent.




NB. There will always be extra units left over. These are ideal for cuts and edgings.

Important: When laying mixed size packs please ensure you alternate between bales for each layer to ensure an evenly distributed colour blend. ie. They should not be laid layer-by-layer from the same bale.


# Laying Patterns

continued


Fiamma / TerraPave® / Plaza / Canterra® / Rosemount flagstones




**Stretcher Bond (1 size)**  
Uses 600x400mm.  
4.17no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 600x400.



**Stretcher Bond (2 sizes)**  
Uses 400x400 + 600x400mm.  
2.5no. of each size per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 60% 600x400,  
40% 400x400.



**Stack Bond (1 size flag)**  
Uses 400x400mm.  
6.25no. per m<sup>2</sup>  
Ratio per m<sup>2</sup>: 100% 400x400.



**Broken Stack Bond (1 size flag + setts)**  
Uses 400x400mm + Setts.  
Approx: 6no. flags per m<sup>2</sup>  
0.3no. setts per m<sup>2</sup>.



## About us

**AG (Acheson + Glover) is a family business owned and run by three generations of the same family for over 60 years.**

AG has grown to become one of the UK and Ireland's largest independent suppliers of hard landscaping and building products. We operate five separate production facilities.

AG is able to source most of the raw materials we need from our own quarries. As a result we're able to dramatically reduce

the carbon footprint of our products and eliminate any risk of exploiting low-paid workers in developing countries.

AG has become a big company. But not a big-headed company. We think big but we're also determined to get the little things right. We're committed to our customers and to ensuring we always offer the best products, at the best prices. It's business... but with AG it's also personal.



## Sustainability

**At AG we are very careful about our impact on the wider environment.**

AG have calculated the carbon footprint of every product in our range. All of these figures have been carefully checked and verified. We are committed to

keeping these figures as low as possible. Indeed, we rank among the lowest carbon ratings of the major manufacturers.

One of the reasons why our carbon footprint ratings are so low is because the vast majority of the aggregates we use are

produced in our own quarries which are just a short distance from our manufacturing plants.

Transportation has a big impact on carbon emissions so by using local stone, we can keep our footprint as small as possible.



Stack Bond Pattern  
TERRAPAVE® FLAGS / Rimini + Milano Ground



# making it together ♥

YOUR LOCAL MERCHANT:

Design by AG

IRE Version 2 | May 2021

Visit our website for maintenance guidance and more information.

[ag.uk.com](http://ag.uk.com)



AG Group Headquarters: 127 Crievehill Road, Fivemiletown, Co. Tyrone, BT75 0SY.



## TERMS + CONDITIONS

The colours shown in this literature are as accurate as the printing process will allow. Whilst every effort is made to match colours and represent textures, we recommend that colours and textures are chosen from actual samples of the products.

All products are manufactured from natural materials and although we strive to provide consistency of colour, variation may occur in the manufacturing process -

this applies to all concrete products within the paving industry. It is for this reason we recommend that products are selected from at least three bales, within each delivery.

All information contained in this literature is correct at the time of going to print.

AG reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you contact your builders merchant, at the design stage of your project, for the most up-to-date information.