



Construction Products Regulations

DECLARATION OF PERFORMANCE

No: 13 / 1-7-13

BSEN: 1340 : 2003

UNIT: Concrete Road Kerbs

Attest. 4

Works: AGL Carryduff, Belfast Road, Saintfield. Co.Down BT24 7HF

AGL Ballygawley, 11 Aghnagar Road, Tullyvannon, Ballygawley, Co. Tyrone

Use: External

Declared Performance

Essential Requirements	Performance Value	BSEN 1340 :2003
Breaking Strength C_s [MPa]	>3.5MPa > 3kN	Annex F
Breaking Load [kN]	>4.0 MPa > 7kN	
	>5.0MPa > 14kN	
Slip / Skid resistance	>45	
Durability	Satisfactory	Cl. 5.3.2-5.3.3.4 & 5.3.5.3
Reaction to fire	Class A1	Cl. 5.3.6.1
External Fire [Roof]	Class A1	Cl. 5.3.6.2
Emission of Asbestos	None	Cl. 4.2
Abrasion Resistance	< 23	Annex G

Products conform to Attestation Level 4 as designated under CPR [2011] Annex V.

Compliance is achieved by FPC system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and the following Standard when installed in accordance with Acheson & Glover's guidelines

Signed:



Full Name: Stephen Acheson

Position: Managing Director, Acheson & Glover Ltd

Date: 1st July 2013