

DECLARATION OF PERFORMANCE

DOP REF: SDC01-2022
PRODUCT: Slotted Drainage Channel
ISSUE DATE: 15 August 2022
MANUFACTURING STANDARD: hEN 1340:2003 / hEN 1433:2002
COMPLIANCE CATEGORY: Attestation Level 4
PLANT OF MANUFACTURE: AG Belfast Road, Saintfield, Co. Down, BT24 7HF
APPLICATION: Pedestrian / Commercial and Industrial

Declared Performance

Essential Requirements	Performance Value	Additional Data
Dimensions	250 x 250 x 914mm	N/A
Load Class C 250	250 kN	BS EN 1433:2002
	Suitable for pedestrian precincts, cycle ways, private car parks and driveways	
Load Class D 400	400 kN	BSEN 1433:2003
	Suitable for industrial areas and commercial developments with lorry traffic	
Slip / Skid resistance	>45	
Durability	Satisfactory	Cl. 5.3.2-5.3.3.4 & 5.3.5.3
Reaction to fire	Class A1	Cl. 5.3.6.1
External Fire [Roof]	Class A1	Cl. 5.3.6.2
Emission of Asbestos	None	Cl. 4.2
Abrasion Resistance	< 23	Annex G

Compliance is achieved by Factory Processed Control (FPC) system of testing and inspections to the relevant Standard.

I hereby declare that the products named above are in conformity with the essential requirements of the Construction Products Regulations and when installed in accordance with AG's guidelines.

Signed:

Stephen Acheson, Chief Executive Officer

Dated: August 2022

